Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S57	31	(US-20020116639-\$ or US-20020120484-\$ or US-20020120711-\$ or US-20020128851-\$ or US-20020147915-\$ or US-20020178173-\$ or US-20020178233-\$ or US-20020178436-\$ or US-20020178436-\$ or US-20040015961-\$ or US-20040015961-\$ or US-20040267830-\$).did. or (US-5826265-\$ or US-5974258-\$ or US-5530862-\$ or US-7024427-\$ or US-6308325-\$ or US-5819107-\$ or US-5809329-\$ or US-5778226-\$ or US-5748980-\$ or US-5664195-\$ or US-5748980-\$ or US-5664195-\$ or US-4974151-\$ or US-5640562-\$ or US-4974151-\$ or US-6934956-\$ or US-6823460-\$ or US-6931599-\$ or US-6922813-\$ or US-6247128-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/01/22 11:49
S58	11	S57 and (install\$5 with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 13:35
S59	71	"Business Machines".as. and prerequisite and (install\$5 with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 14:32
S60	4	S59 and @pd<"20030617" and (parameter same (application software install\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 15:42
S61	13	not ("Business Machines".as.) and prerequisite and (install\$5 with server).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 15:41

S62	1396	not ("Business Machines".as.) and (install\$5 with server).ab. and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 15:41
S63	285	S62 and (server).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 15:41
S64	. 0	S63 and @rlad<"20030617" and (parameter same (application software install\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 15:52
S65	2	S63 and @rlad<"20030617" and ((operating application software) same install\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 15:52
S66	350	(server with installation).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 15:52
S67	0	S66 and @rlad<"20030617" and (parameter same (application software install\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 15:53
S68	0	S66 and @rlad<"20030617" and (parameter requirement prerequisite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 15:53
S69	0	S66 and @rlad<"20030627" and (parameter requirement prerequisite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 15:53

S70	17	SSE and (parameter requirement	US-PGPUB;	OR	OFF	2007/01/22 16:02
570	17	S66 and (parameter requirement prerequisite)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	UFF	2007/01/22 16:08
S71	2	"20040133626"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 16:21
S72	21	(server near6 (configuration installation)).ti. and @rlad<="20030627"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 08:03
S73	2	S72 and "Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 16:23
S74	19	S72 not S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 16:23
S75	14	(installation with script).ab. and ((configuration installation) near5 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 07:58
S76	21	(server near6 (configuration installation)).ti. and @rlad<="20030627"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 08:01
S77	0	S75 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 08:01

S78	1057	((configur\$4 install\$4) same	US-PGPUB;	OR	OFF	2007/01/23 08:40
	-337	server).ti.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S79	428	((configur\$5 install\$4) same server).ab. and "717"/\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 08:40
S80	350	S79 and (server near8 (install\$6 configura\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 08:02
S81	0	(S75 or S76) and (S78 and S80)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 08:06
S83	2	(S75 or S76) and (S80)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 08:05
S84	0	(S75 or S76) and (S78)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 08:03
S85	288	(install\$4 near4 server).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 08:05
S86		S85 and @pd<="20030627"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 10:13

S87	114	(S86 or S75 or S76) and (S78 or S80)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 08:07
S88	5	S87 and ((installation build configuration) near2 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 08:07
S89	4	(S78 or S79) and @pd<"20030627" and (build\$3 adj2 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 10:05
S90	1	S89 and (host near4 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 10:11
S91	. 11	((recipient target) adj computer adj4 server) and (build configuration install\$5).ab. and ((installation configuration) adj2 (script program file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 10:12
S92	3	S91 and @pd<="20030627"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 13:33

S93	42	(US-20040015961-\$ or	US-PGPUB;	OR	OFF	2007/01/23 14:29
		ÙS-20030233431-\$ or	USPAT			
		US-20020083146-\$ or				
		US-20030069950-\$ or				
		US-20030023603-\$ or				
		US-20040267830-\$ or		1		
		US-20030115218-\$ or		1		
		US-20020120484-\$ or		1		
		US-20020116639-\$ or				
		US-20020178233-\$ or				
		US-20020178173-\$ or		1		
		US-20020147915-\$ or				
		US-20020128851-\$ or]		
		US-20020120711-\$ or]		
		US-20020178436-\$ or				
		US-20020040469-\$ or		1		
		US-20020112232-\$).did. or				
		(US-6199204-\$ or US-5974258-\$ or				
		US-6449627-\$ or US-6202207-\$ or				
		US-5867713-\$ or US-6868444-\$ or				
		US-6308325-\$ or US-5819107-\$ or				
		US-5809329-\$ or US-5778226-\$ or				
		US-5748980-\$ or US-5664195-\$ or		1		
		US-5517635-\$ or US-5504904-\$ or				
		US-4974151-\$ or US-5640562-\$ or				
		US-6185733-\$ or US-6934956-\$ or				
		US-6823460-\$ or US-6931599-\$ or			ļ	
•		US-6922813-\$ or US-7024427-\$ or				
		US-5530862-\$ or US-6247128-\$ or				•
		US-5826265-\$).did.				
		••				
S94	8	S93 and Mastrianni.in.	US-PGPUB; USPAT	OR	OFF	2007/01/23 13:33
S95	7	S94 and @pd<="20030627"	US-PGPUB;	OR	OFF	2007/01/23 14:21
			USPAT;			
			USOCR;			
-			EPO; JPO;			
			DERWENT;			
			IBM_TDB			
S96	0	S95 and prerequisite and install\$5	US-PGPUB;	OR	OFF	2007/01/23 13:34
	<u> </u>	and database	USPAT;			
			USOCR;			
		•	EPO; JPO;			
			DERWENT;			
			IBM_TDB			
S97	3	S95 and (server with install\$5) and	US-PGPUB;	OR	OFF	2007/01/23 13:47
		database	USPAT;			
			USOCR;			
			EPO; JPO;			
			DERWENT;			
1			IBM_TDB	i	1	

S99	. 6	S95 and install\$5 and database	US-PGPUB; USPAT;	OR	OFF	2007/01/23 14:09
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S10 0	0	(install\$4 build\$3 configurat\$4).ab. and ((destination target client recipient) adj machine) adj3 "be a server"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 14:19
S10 1	126	(install\$4 build\$3 configurat\$4).ab. and ((destination target client recipient) adj machine) adj3 "server"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 14:19
S10 2	16	S101 and install\$4.clm. and @pd<="20030627"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 14:13
S10 3	3	S102 and "Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 14:23
S10 4	0	S93 and S101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 14:19
S10 5	126	(install\$4 build\$3 configurat\$4).ab. and ((destination target client recipient) adj machine) adj3 "server"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 14:20
S10 6	1214	(install\$4 build\$3 configurat\$4).ab. and ((destination target client recipient) adj2 ((device node computer machine) adj3 "server"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 14:21

S10 7	105	S106 and @pd<="20030627" and install\$4.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 14:21
S10 8	70	S107 and database and ((destination target client recipient) adj2 ((device node computer machine) adj3 "server"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 14:22
S10 9	68	S108 not S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 14:22
S11 0	. 3	S109 and "Business Machines".as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 14:24
S11 1		S109 not S110 and S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 14:24
S11 2		S93 and Ream.in. and (recipient adj5 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 14:29

1/23/2007 5:05:09 PM C:\Documents and Settings\tvu3\My Documents\EAST\Workspaces\10609362.wsp